



We exceptional offering is a product of vision, demand, and objective of delivering ceramic products that add iconic values to spaces. It is also a passionate endeavor encouraged and inspired by the efforts od sutainsbillity for a better tomorrow.

We belive in delivering an experience beyond excellence and the same is fulfilled by revolutionary ceramic products dominating the luxury sector of the tiling industry backed by innovation, technology, and a pioneering vision.

The Concept
Of Being Awesome






INSPIRING EXCELLENCE

The Concept **Of Best Slabs**







under state-of-the-art technology, experienced professionals, and well-trained workers.

This collection speaks for itself. It is a melange of soft yet brilliant textures and patterns over distinctive shades under specific aesthetic colours. Our styles aim to illuminate your home and elevate it to another level of luxury.

The awakening
Of Creative Artistry



Features

As already mentioned, we strives for excellence. Our surfaces require the lowest efforts in maintenance, are hygienic in nature, have strong qualities such as water resistance and liquid repellant, and have such strength that makes them to be impact & heat resistant in nature.

Furthermore, they have resistance against frost or extreme temperatures, scratches or abrasions, chemicals or stains, fire, bending or any pressure, and much more. Our features provide every comfort and luxury.



Lowest Maintenance

Frost Resistant



Antibacterial Surface / Hygienic Surface

Scratch Resistant And

Abrasion Resistant



Liquid Repellent And Water Resistant



Impact Resistant





Chemical And Stain Resistant



Fire Resistant



Resistant To Bending

Application Areas

Our Collection has such variants in designs and colours that it showcases that it can blend with many spaces in your lifestyle and home. Application areas include kitchen countertop, dining tables, bathtub, shelves, staircase, door and window frames, and much more.

We believe to be one-stop for improvising many areas of your home with artistically creative designs having a touch of luxury and sophistication. Our vision is to bring absolute satisfaction to you.



Kitchen counter top

Shower base




Vanity top



Table top







Wash basin





Door and window frame

Edge Profiles

The unmatched strength of the ArchRock Collection allows you to establish a dynamic ambiance in your spaces with fine detailing of the edges, which can be shaped into a plethora of profiles like half bullnose, square ridge, round ridge, and more. Enjoy a customized edge profile of your countertops, tabletops, and other design elements with the collection and personalize your spaces.



Joint Possibilities









WHITE BODY | GREY BODY | BROWN BODY | BLACK BODY

We have 4 variants in colours of the body of its surfaces - White, Grey, Brown and Black. All of the variants have differences only in colours and not in quality. Quality is maintained top notch with newest technology and advancement.

We have established one of the most advanced and innovative slabs manufacturing units in India with the latest importes machinery, automated handling units, and advanced process to lead in the ceramic industry through taking steps right along the ever-changing dynamic world.













Face 2

Face 1

ACROPOLIS GRANO

Book Match

Size : 1600x3200mm

Surface : High Gloss

Thickness : 12mm

Random : 02 Face

Type : White Body











Face 1

Face 2

Book Match

Size : 1600x3200mm

Surface : High Gloss


Thickness : 12mm

Random : 02 Face

Type : White Body

APOLLO WHITE

















Face 2

Face 1

APOLLO WHITE

Size : 1600x3200mm

Surface : High Gloss

Thickness : 12mm
Random : 02 Face

Type : White Body











ARBESCCATO


Size : 1600x3200mm

Surface : High Gloss

Thickness : 12mm
Random : 02 Face







ATLANTIC BIANCO

Book Match

Size : 1600x3200mm

Surface : High Gloss

Thickness : 12mm

Random : 02 Face

Type : White Body



Merakee







Face 2

Face 1

ATLANTIC BIANCO


Size : 1600x3200mm

Surface : High Gloss

Thickness : 12mm

Random : 02 Face









Face 1







Face 2

Face 1

BAOBOB FURRY


Book Match

Size : 1600x3200mm

Surface : High Gloss

Thickness : 12mm Random : 02 Face

Type : White Body





Face 1



Face 2







Face 2

Book Match

Face 1

CALACATTA BELISIMO


Size : 1600x3200mm

Surface : High Gloss

Thickness : 12mm

Random : 02 Face









Face 1





Face 3

Face 1

CALACATTA BELISIMO

Size 1600x3200mm

High Gloss Surface

12mm Thickness 03 Face Random

: White Body Type











Face 1

Book Match

CALACUTTA ROYALE

Size : 1600x3200mm


: High Gloss Surface


Thickness : 12mm

: 02 Face Random
















Face 1

CALACUTTA ROYALE

Size : 1600x3200mm

: High Gloss Surface

12mm Thickness 03 Face Random

: White Body Type



Merakee







Face 2

Face 1

CELESTE ONYX

Type


Size : 1600x3200mm


Surface : High Gloss

Thickness : 12mm


: 02 Face Random : White Body







Face 2





Face 1

PATAGON STONE

Book Match

Size : 1600x3200mm

Surface : High Gloss

12mm Thickness : 02 Face Random

: White Body Type











PATAGONIA BIANCO

Size : 1600x3200mm

Surface : High Gloss

Thickness : 12mm : 02 Face Random

















Face 2

PEARL WHITE

Book Match

Size : 1600x3200mm

Surface : High Gloss

Thickness : 12mm : 02 Face

Random Type

: White Body











Face 2

Face 1


PEARL WHITE


Size : 1600x3200mm

Surface : High Gloss

Thickness : 12mm : 02 Face Random







Face 2

Face 1

PINK VALENCIA

Size : 1600x3200mm

Surface : High Gloss

Thickness : 12mm

Random : 02 Face

Type : White Body











Face 1

Book Match

STATUARIO MAGIA


Size : 1600x3200mm


Surface : High Gloss

Thickness : 12mm

Random : 02 Face















Face 1

STATUARIO MAGIA

Size : 1600x3200mm

Surface : High Gloss

12mm Thickness 02 Face Random

: White Body Type



Merakee







Face 2

Face 1

STATUARIO NATURAL

Size : 1600x3200mm

: High Gloss Surface

Thickness : 12mm

: 02 Face Random







Face 1

Face 2







Face 2

Face 1

STATUARIO NATURAL

Book Match

Size : 1600x3200mm

Surface : High Gloss

Thickness : 12mm Random : 02 Face

Type : White Body











Face 1

Book Match


STATUARIO SYMPHONY


Size : 1600x3200mm

Surface : High Gloss

Thickness : 12mm Random : 02 Face







STATUARIO TOH

Size : 1600x3200mm

Surface : High Gloss

Thickness : 12mm
Random : 02 Face

Type : White Body



STATUARIO TOH

Book Match

Face 1


Face 2


Size : 1600x3200mm

Surface : High Gloss

Thickness : 12mm
Random : 02 Face







TORSO BIANCO

Size : 1600x3200mm

Surface : High Gloss

12mm Thickness : 02 Face

Random

: White Body Type



Merakee



Face 2

VERONIC ARBESQUE

Book Match


Face 1

Size : 1600x3200mm

Surface : High Gloss

Thickness : 12mm : 02 Face Random







VERONIC ARBESQUE

Size : 1600x3200mm

Surface : High Gloss

Thickness : 12mm
Random : 03 Face

Type : White Body



Merakee







Face 2

Face 1

CLOUDY ONYX

Size : 1600x3200mm

Surface : High Gloss

Thickness : 12mm

Random : 02 Face

Type : Ivory Body











Face 2





Face 2

Face 1

ESTILLO ONYX

Size : 1600x3200mm


Surface : High Gloss

Thickness : 12mm
Random : 02 Face

Type : Ivory Body









Face 2

Face 1

HONEY ONYX


Size : 1600x3200mm

Surface : High Gloss

Thickness : 12mm
Random : 02 Face

Type : Ivory Body







ILLUSION BRONZE


Size : 1600x3200mm

Surface : High Gloss

Thickness : 12mm

Random : 02 Face

Type : Ivory Body







Face 1

Face 2

IMPERIO ARMANI MOCHA

Size : 1600x3200mm

Surface : High Gloss

Thickness : 12mm

Random : 02 Face

Type : Ivory Body







KRAZZY RETRO

Size : 1600x3200mm

Surface : High Gloss

Thickness : 12mm


Random : 02 Face


Type : Ivory Body





Face 1







Face 2

Face 1

OCEANO ONYX

Size : 1600x3200mm

Surface : High Gloss

Thickness : 12mm

Random : 02 Face

Type : Ivory Body

















Face 2


Face 1

TRAVERTINO SAND

Size : 1600x3200mm

: High Gloss Surface

Thickness : 12mm : 02 Face Random : Ivory Body Type











Face 1

Face 1

TURKEY ONYX


Size : 1600x3200mm


: High Gloss Surface

Thickness : 12mm : 01 Face Random

: Ivory Body Type







Face 2

Face 1

VIOLA ONYX


Size : 1600x3200mm

Surface : High Gloss

Thickness : 12mm


Random : 02 Face

Type : Ivory Body





Face 1







Face 2

Face 1

BOTANIC BLACK

Size : 1600x3200mm

Surface : High Gloss

Thickness : 12mm

Random : 02 Face

Type : Grey Body







Merakee









Face 2

Face 1

BOTANIC BLUE

Size : 1600x3200mm

Surface : High Gloss

Thickness : 12mm

Random : 02 Face

Type : Grey Body











Face 2

Face 1

CRYSTAL ONYX

Size : 1600x3200mm

Surface : High Gloss


Thickness : 12mm

Random : 02 Face

Type : Grey Body







AMAZONITE

Size : 1600x3200mm

Surface : High Gloss

Thickness : 12mm

Random : 02 Face

Type : Grey Body









Face 2 Face 1

IMPERIO ARMANI GREY

Size : 1600x3200mm


Surface : High Gloss

Thickness : 12mm

Random : 02 Face


Type : Grey Body














Face 2

Face 1

SONATA GREY

Size : 1600x3200mm

Surface : High Gloss

Thickness : 12mm

Random : 02 Face

Type : Grey Body









Face 2

Face 1

BLACK NOIR

Size : 1600x3200mm

Surface : High Gloss


Thickness : 12mm

Random : 02 Face

Type : Black Body








MARQUS AQUA

Size : 1600x3200mm

Surface : High Gloss

Thickness : 12mm
Random : 01 Face

Type : Black Body



THUNDER NIGHT


Size : 1600x3200mm


Surface : High Gloss

Thickness : 12mm Random : 02 Face

Type : Black Body







WILLIAM NERO

Size : 1600x3200mm

Surface : High Gloss

Thickness : 12mm
Random : 02 Face

Type : Black Body



BLACK GOLD

Size : 1600x3200mm

Surface : High Gloss

Thickness : 12mm Random : 02 Face

Type : Black Body







DAZZLE BROWN

Size : 1600x3200mm

Surface : Matt
Thickness : 12mm
Random : 02 Face
Type : Ivory Body



Merakee

Face 1 Face 2



Face 2 Face 1

JAVA CAMEL


Size : 1600x3200mm













Face 2 Face 1

JAVA CREMA


Size : 1600x3200mm

Surface : Matt
Thickness : 12mm
Random : 02 Face
Type : Ivory Body











Face 2 Face 1

JAVA TOBBACO

Size : 1600x3200mm







MARRAZI SAND

Size : 1600x3200mm

Surface : Matt
Thickness : 12mm
Random : 02 Face
Type : Ivory Body



Merakee







Face 2 Face 1

PLUTO SMOKE

Size : 1600x3200mm

















Face 2

Face 1

PLUTO TOBBACO

Size : 1600x3200mm

Surface : Matt
Thickness : 12mm
Random : 02 Face
Type : Ivory Body









Face 2


Face 1

TRAVERTINO SAND

Size : 1600x3200mm








JAVA GRIS

Size : 1600x3200mm

Surface : Matt
Thickness : 12mm
Random : 02 Face
Type : Grey Body



Merakee

Face 1

Face 2


Face 1

MARRAZI GREY

Size : 1600x3200mm

















Face 2

Face 1

PLUTO GRIS

Size : 1600x3200mm

Surface : Matt
Thickness : 12mm
Random : 02 Face
Type : Grey Body










Face 2

Face 1

TRAVERTINO ASH

Size : 1600x3200mm








DAZZLE NERO

Size : 1600x3200mm

Surface : Matt
Thickness : 12mm
Random : 02 Face
Type : Black Body



Merakee


Face 1

Face 2

STONIA NERO

Size : 1600x3200mm











: 1600x3200mm Size : Matt & Glossy Surface

Thickness : 12mm : Full Body Туре




Merakee

STEEL GREY

: 1600x3200mm Size Surface : Matt & Glossy

: 12mm Thickness Type : Full Body







BONE

Size : 1600x3200mm Surface : Matt & Glossy

Thickness : 12mm

Type : Full Body



BRONZE

Size : 1600x3200mm Surface : Matt & Glossy

Thickness : 12mm

Type : Full Body









GREY

: 1600x3200mm Size : Matt & Glossy Surface

: 12mm Thickness : Full Body Type



PEWTER

: 1600x3200mm Size : Matt & Glossy Surface

: 12mm Thickness Type : Full Body







SOLID BIANCO

Size : 1600x3200mm Surface : Matt & Glossy

Thickness : 12mm

Type : Full Body




VENTA BLACK

Size : 1600x3200mm Surface : Matt & Glossy

Thickness : 12mm

Type : Full Body





CLEANING & MAINTENCE

High- qualit y raw mat erials, rigorous production par amet ers, and world-class technology at A dicon mak e the exclusive offering nonpor ous and thus no dust or deposit ed waste penetr ates the surf ace. The no-maint enance surfaces require only a damp c loth f or cleaning. Routine and r ecurring cleaning spotlights the aesthetic f eatures of the surf aces and keeps the surf aces shining.

For cleaning c ontamination and stains caused b y some common f ood and other mat erial follow the table belo w:

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE		
	I			
Grease	Alkaline - Solvent	Detergent		
Oil	Solvent	Ammonia, Backing Soda		
Ink	Oxidant - Solvent	Alcohol, Liquid Ble ach, Nail Paint Remo ve		
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic		
Lime	Acid	Descaling Re agent, Hydro Chloric Acid		
Cement	Acid	Hydro Chloric Acid		
Wine	Alkaline	Ammonia, Liquid Ble ach		
Coffee	Alkaline - Solvent	Ammonia, Liquid Ble ach		
Rubber	Solvent	Alcohol, Thinner		
Plaster	Acid	Hydro Chloric Acid		
Candle W ax	Solvent	Alcohol, Thinner		
lodine	Oxidant	Liquid Bleach		
Blood	Oxidant	Liquid Bleach		
Ice Cream	Alkaline	Liquid Bleach		

Note: It is recommended that an y kind of stain needs to get clean immediately / as soon as possible.

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	STANDARD AS PER IS 15622:2017 Gr.Bla	MEAN VALUE OF ADICON	METHOD OF TESTING
Regulat ory Properties				
Deviation in Length and W idth	± 0.30 % (1.00 mm)	±0.10 %	±0.10 %	ISO 10545-2/IS 13630-1
Deviation in Thickness	± 5.0 % (0.50 mm)	± 5.0 %	±5.0 %	ISO 10545-2/IS 13630-1
Straightness in Side	± 0.30 % (0.80 mm)	± 0.10 %	±0.10 %	ISO 10545-2/IS 13630-1
Rectangularit y	± 0.30 % (1.50 mm)	± 0.10%	±0.10 %	ISO 10545-2/IS 13630-1
Surface Flatness Central Curvature	± 0.40 % (1.80 mm)	± 0.50 %	±0.20 %	ISO 10545-2/IS 13630-1
Surface Flatness Edge C urvature	± 0.40 % (1.80 mm)	± 0.50 %	±0.20 %	ISO 10545-2/IS 13630-1
Surface Flatness W arpage	± 0.40 % (1.80 mm)	± 0.50 %	±0.10 %	ISO 10545-2/IS 13630-1
Surface Qualit y	>95% defects free	>95% defects free	>95% defects free	ISO 10545-2/IS 13630-1
Small Color Difference	∆ E <1.00	N.A.	∆E <0.80	ISO 10545-16
(For Plain Colour)				
Glossiness (Polished)	As per Manuf acturer	As per Manuf acturer	= 90	Gloss Meter 60
Glossiness (Satin/Posh)	As per Manuf acturer	As per Manuf acture	7 = Gloss Value = 25	Gloss Meter 60
Structural Properties	I			
Water Absorption	s 0.50 %	≤0.080 %	≤0.080 %	ISO 10545-3/IS 13630-2
Bulk Densit y	As per Manuf acturer	Min 2.20 g/cc	> 2.28 gm/cc	ISO 10545-3/IS 13630-2
Massive Mechanical P roperties	I			
Modulus of Ruptur e	Min. 35.0 N/mm	Min. 35.0 N/mm	Min. 40.0 N/mm	SO 10545-4/IS 13630-6
Breaking Strength Thickness =7 .5 mm	Min 1300.0 N	Min 1300.0 N	Min 6000 .0 N	ISO 10545-4/IS 13630-6
Surface Mechanical P roperties				
MOH S Hardness #	As per Manuf acturer	Min. 5	Polished Min 4 **/	BS EN 15771/IS 13630-1
			Satin & Posh Min 6	
Surface Abrasion Resistance #	As per Manuf acturer	Min. Class II	Polished Min II* */ Satin & Posh Min III	ISO 10545-7/IS 13630-1
Thermal Hy grometr ic Properties				
Moisture Expansion	M 0 000/ (0 0/)	Max 0.02 mm/ m	May 0.02 mm/ m	100 40545 40/10 42020
•	Max 0.06% (0.6 mm/ m)		Max 0.02 mm/ m	ISO 10545-10/IS 13630-3
Thermal Expansion(COE) at 100 C	As per Manuf acturer Min 10 Cycle	Max. 6.0 x 10-6	Max. 6.0 x 10-6	ISO 10545-8/IS 13630-4 ISO 10545-9/IS 13630-5
Thermal Shock Resistance		Min 10 Cycle	Min 10 Cycle	
mpact Resistance(C OR) # Frost Resistance	Min. 0.55 As per Manuf acturer	Min 0.55	Min 0.55 Frost Proof	ISO 10545-5/IS 13630-
	4 Cycle	As per Manuf acturer 4 Cycle	4 Cycle	ISO 10545-12/IS 13630-
Crazing Resistance at 7 .5 bar	4 Gycle	4 Cycle	4 Cycle	130 10343-11/13 13030-5
Chemical P roperties				
Resistance to Staining Glazed	Min. Class 3	Min Class 1	Min. Class 3/Min. Class 1 Min Class GB/Min Class A A	ISO 10545-14/IS 13630-
Resistance to Household Chemicals &	Min Class GB	Min Class AA	Min Class GB/Min Class A A	ISO 10545-13/IS 13630-
Swimming P ool Salts Glazed				
Resistance to Low Concentrate	As per Manuf acturer	As per Manuf acturer	Min Class GLB***/ Min Class A***	ISO-10545-13/IS 13630-
Acid and Alk alis Glazed			Min Class GHB***/	ISO-10545-13/IS 13630-
Resistance to High Concentrate	As per Manuf acturer	As per Manuf acturer	Min Class A***	
Acid and Alk alis Glazed				
Safety Properties		I	I	I
Skid Resistance -	As per Manuf acturer	As per Manuf acturer	Glossy⊵P0,Satin,Posh ₽1	BS 7976-2
(DCOF-WET PENDULUM)##				
Slip Resistance -Satin/Posh	As per Manuf acturer	As per Manuf acturer	R9 to R10	DIN 51130
(DCOF- R Value)##				
Lead and Cadmium r elease	As per Manuf acturer	N.A.	Does not yield Pb &C d	ISO-10545-15

^{**} With nano t echnology (P olished Vitrified tiles) Depending on Application ar ea (low or high int ensity of trafic)

^{***} Except Hydrofluoric Acid & it's compound